

BOLEFLOOR



Life is not a straight line.



BOLEFLOOR



### Return to a natural state.

It wasn't nature that created straight floorboards: it was the limitations of technology. Bolefloor allows a return to a natural state: floors as nature intended.

### Technology in the name of nature.

Bolefloor technology combines wood scanning systems, tailor-made CAD/CAM developments and innovative optimization algorithms.

Just as Gutenberg's invention literally freed the book from monastic confines, Bolefloor technology makes natural curved-length flooring available at a price not considerably more than today's fine wood flooring.

### More floors per forest.

Bolefloor's optimization technology means savings of the natural resource. Not only is the surface aesthetically appealing, but Bolefloor innovations allow more floors per forest.

### Unique in the true meaning of the word.

Bolefloor curved-length flooring meets the true definition of unique: each floorboard is as individual as the tree it came from. No two bolefloors are alike.

Bolefloors are ideal for both private residences and public spaces. Bolefloors work in any setting where intimate, natural, and individual interiors are desired.





## Life is not a straight line.

Bolefloor is the world's first industrial-scale manufactured hardwood flooring with naturally curved lengths that follow a tree's natural growth. Bolefloor takes its name from *bole*, the trunk of a tree.

Bolefloor has created the category of curved-length flooring for the market at large. Until now, unique floors like these have been the product of a few dedicated craftsmen. With Bolefloors, all that is changed.





## Grooves and joints

Bolefloors are available grooved and ungrooved or in a combination of both, including grooved- and ungrooved endjoints.

## Species and grades

Available in oak as Select, Natural, and Rustic.

Bolefloors are currently available only in solid oak. Other species will be available beginning summer 2011.

## Colours

Available unfinished or oiled.

All prefinished floors are coated with WOCA Denmark oils.

## Widths

Our floorboards run to 3000 mm in length with widths of 150-300 mm (there are slight, natural variations in places). Thickness is a uniform 21 mm. Production can accept 6000 mm special orders.

Our 13 mm product line will be available in summer 2011.

## Measuring and installation

All Bolefloor products are ordinary tongue and groove (unless ordered otherwise), ready to install preferably by gluing down.

Trained installation and finishing teams work with professional flooring stores which offer our products.

Life is not a straight line.





Woodrow Parquet  
545 Old York Road  
London, SW18 1TQ  
Tel. +44 (0)208 7040688  
woodrowfloors@ymail.com

[www.bolefloor.com](http://www.bolefloor.com)  
[www.woodrow-hardwood-flooring.com](http://www.woodrow-hardwood-flooring.com)

